

FAO Plant Protection Bulletin

A Publication of the
World Reporting Service on Plant Diseases and Pests

Vols 20-22
1972-74

TABLE OF CONTENTS AND INDEX TO VOLUME TWENTY

1972

FOOD AND AGRICULTURE ORGANIZATION OF THE UNITED NATIONS
ROME




TABLE OF CONTENTS AND INDEX
TO VOLUME TWENTY

1952




TABLE OF CONTENTS

No. 1 - FEBRUARY

Changing aspects of rubber diseases in Malaysia, <i>B. Sripathi Rao</i>	1
Black point of wheat grain, <i>Arun V. Sathe</i>	9
Integrated control of arthropod pests in European orchards, <i>H.G. Milaire</i>	12
Crop vulnerability and breeding for disease resistance, <i>A.L. Hooker</i>	18
Outbreaks and new records France, India	21
Plant quarantine announcements Sweden, United States	23
News and notes	24

No. 2 - APRIL

Bark beetles attacking Caribbean pine in northeastern Nicaragua, <i>H.O. Yates III</i>	25
Mycoplasma-like bodies in the leaves of orange trees infected with greening disease, <i>Dominique Lafleche and Roger Buvat</i>	28
Prevalence and host range of <i>Meloidogyne</i> species in Lebanon, <i>A.T. Saad and M. Tanveer</i>	31
Incidence of major insect pests of early summer fodders in Haryana, India, <i>J.C. Gupta</i>	36
Outbreaks and new records India, Rhodesia, Tanzania	39
Plant quarantine announcements Sweden	43
News and notes	44

No. 3 - JUNE

Pesticides and the environment: the position of FAO	45
Disease epiphytotic threats to high-yielding and local wheats, <i>D.M. Stewart, A. Hafiz and T. Abdel Hak</i>	50
The possible cause of lethal yellowing disease of coconut, <i>K.G. Heinze, M. Schuiling and D.H. Romney</i>	58
Outbreaks and new records India, Paraguay	69
Plant quarantine announcements Ethiopia, Norway, Switzerland	71
News and notes	72

No. 4 - AUGUST

Occurrence of three fungal diseases of chickpea in Iran, <i>Walter J. Kaiser</i>	73
Major diseases of pineapple in Oaxaca, Mexico, and their control, <i>R. García Espinosa and A.V. Adam</i>	79
Absence of transparent coconut scale in Western and American Samoa, <i>D.I. Swan</i>	88
Outbreaks and new records Chile, India	89
Plant quarantine announcements Greece	93
News and notes	99

No. 5 - OCTOBER

Identifying three pine bark beetles (Coleoptera: Scolytidae) likely to be found in north-eastern Nicaragua, <i>H.O. Yates III</i>	101
Occurrence and distribution of plant-parasitic nematodes in Lebanon, <i>D.P. Taylor, A.T. Saad and W.E. Schlösser</i>	105
Evidence that tristeza virus is stylet borne, <i>M.L. Retuerma and W.C. Price</i>	111
Outbreaks and new records Chile, India	115

Plant quarantine announcements	
Federal Republic of Germany, Greece	119
News and notes	120

No. 6 - DECEMBER

Coffee leaf rust in Brazil, <i>I.D. Firman</i>	121
Diseases of food legumes caused by pea leaf roll virus in Iran, <i>Walter J. Kaiser</i>	127
Evidence for spread of cadang-cadang disease of coconut from tree to tree, <i>W.C. Price and A.E. Bigornia</i>	133
Ecological studies on the aphid, painted bug and sawfly attacking mustard and rape in India, <i>A.S. Srivastava and J.L. Srivastava</i>	136
Outbreaks and new records	
Ghana, India, Sri Lanka	141
Plant quarantine announcements	
Dominica	143
News and notes	144

INDEX

- Acyrtosiphon pisum*, vector of virus, Iran, 127
A. sesbaniae, vector of virus, Iran, 127
 Adam, A.V., 79
Aerachne sp., fungal resistance, India, 142
 African psyllid, see *Trioza erytreae*
 Alfalfa, host of virus, Iran, 128
 Almond, host of nematode, Lebanon, 33, 105
Alternaria tenuis, wheat, India, 9
 Amaranth, host of nematode, Lebanon, 33
Amaranthus retroflexus, see Amaranth
A. viridis, see Amaranth
Ammi majus, see Bishop's weed
Antonina graminis, grasses, Paraguay, 70
Aphelenchoides besseyi, rice, Tanzania, 41
Aphelinus mali, effect of insecticides, France, 13
Aphidius smithi, field release, Chile, 115
Aphis craccivora, vector of virus, Iran, 127
A. fabae, vector of virus, Iran, 127
A. gossypii, vector of virus, 113, Iran, 127
Ascochyta rabiei, chickpea, Iran, 73
Aspidiotus destructor, misidentification, American and Western Samoa, 88
A. pangoensis, coconut, American Samoa, 88
Athalia proxima, mustard, rape, India, 136
Atherigona orientalis, maize, soybean, India, 69
 Azinphos-methyl, effects on beneficial fauna, 13; effect on pests, 14
 Azodrin, disease control, Jamaica 66
- Bacillus thuringiensis*, effects on beneficial fauna, Netherlands, 13
Bagrada cruciferarum, mustard, rape, India, 136
 Banana, host of nematode, Lebanon, 33, 109
 Batra, R.C., 91
 Bean, host of nematode, Lebanon, 33; food crop, host of virus, virus effect on yield, Iran, 73, 127, 128, 131, 132
 Bermuda grass, pest, Paraguay, 70
 Berseem, host of virus, Iran, 132
Beta vulgaris, see sugar beet
B. vulgaris var. *cicla*, see Swiss chard
 BHC, pest control, 15
 Bidrin, disease control, Jamaica, 66
 Bigornia, A.E., 133
 Binapacryl, effects on beneficial fauna, 13
 Bishop's weed, host of nematode, Lebanon, 34
 Black nightshade, host of nematode, Lebanon, 34
 Black walnut, host of nematode, 21
 Bordeaux mixture, disease control, Mexico, 80
Botryodiplodia theobromae, rubber, Malaysia, 4
 Bové, J.N., 28
Brachiaria mutica, see para grass
Brassica nigra virus, see virus diseases, *Brassica nigra* mosaic
B. rapa var. *oleraceae*, see rape
 Brestan, disease control, Mexico, 80
 Broadbean, food crop, Iran, 73, 127
- Cacopaurus*, sp. distribution, Lebanon, 105, grapevine, 108
C. pestis, rose, sour orange, France, 21
 Cadang-cadang disease of coconut, Philippines, 133
Cajanus cajan, see pigeon pea
 Calamondin, virus transmission tests, Philippines, 111
Calendula officinalis, see European marigold
Canna sp., see canna
 Canna, host of nematode, Lebanon, 33
 Captan, effect on pests, 14; disease control, Mexico, 80
 Carbamates, pest control, 15
 Carbaryl, effects on beneficial fauna, 13; effect on pests, 14
 Caribbean pine, pests, Nicaragua, 25, 101
Celosia argentea, see cockscomb
Cenchrus biflorus, fungal resistance, India, 142
Ceratocystis fimbriata, rubber, Malaysia, 3
 Chakravarti, B.P., 21
Chenopodium album, see goosefoot
C. amaranticolor, virus transmission test, Iran, 128
 Chibber, R.C., 69
 Chickpea, diseases, Iran, 73, 127
 Chicory, host of nematode, Lebanon, 33
Chilo partellus, incidence, India, 36
 Chinomethionat, effects on beneficial fauna, 13
 Chlorbenside, effects on beneficial fauna, 13
 Chlordane, disease control, Jamaica, 66
Choanephora cucurbitarum, pigeon pea, India, 116
Chrotogonus trachypterus, incidence, India, 36
Chrysanthemum maximum, see Shasta daisy
Cicer arietinum, see chickpea
Cichorium intybus, see chicory
Citrullus vulgaris, see watermelon
Citrus aurantifolia, see Mexican lime
C. aurantium, see sour orange
C. limon, see lemon
C. madurensis, see calamondin
C. paradisi, see grapefruit
C. sinensis, see sweet orange
Cladosporium fulvum, pineapple, Mexico, 79
 Cluster bean, pest incidence, India, 36; host of virus, Iran, 132
 Cockscomb, host of nematode, Lebanon, 33
 Cocksfoot grass, host of nematode, Lebanon, 34
Coleus sp., host of nematode, Lebanon, 33
Colletotrichum coffeanum, coffee, Kenya, 125
C. gloeosporioides, rubber, Malaysia, 5
Commelina benghalensis, fungal resistance, India, 142
 Common bindweed, host of nematode, Lebanon, 34
 Common vetch, host of virus, Iran, 132
Convolvulus arvensis, see common bindweed
Corchorus olitorius, see Jew's mallow
Corticium salmonicolor, rubber, Malaysia, 1
 Cowpea, pests, India, 36; food crop, Iran, 73, 127
Criconea sp., pineapple, Mexico, 83
Criconeoides sp., almond, grapefruit, orange, tangerine, grapevine, loquat, tomato, Lebanon, 105, 106, 107, 108, 109, 110

- Crimson clover, host of virus, Iran, 132
Crotalaria juncea, disease, India, 116
Cucumis sativus, host of nematode, Lebanon, 32, host of virus, Iran, 128
Curvularia sp., pineapple, Mexico, 79
Cuscuta spp., see dodder
Cyamopsis tetragonoloba, see cluster bean
Cydia pomonella, integrated control on apple, southern Europe, 15
Cymbopogon citratus, see lemon grass
Cynodon dactylon, see Bermuda grass
Cyperus compressus, fungal resistance, India, 142
C. rotundus, see nut grass
- Dactylis glomerata*, see cocksfoot grass
Dactyloctenium aegyptiacum, fungal resistance, India, 142
Dahlia, host of nematode, Lebanon, 33
Dahlia sp., see dahlia
Date palm, host of nematode, Lebanon, 34
Datura stramonium, see jimson weed
DDD, effect on pests, 14
DDT, effects on beneficial fauna, 13; effect on pests, 14
Demeton, effects on beneficial fauna, 13
Demeton-methyl, effects on beneficial fauna, 13; pest resistance, 14
Dendroctonus frontalis, forest trees, Honduras, Nicaragua, 27, 101
Diaphorina citri, vector of disease, Asia, 28
Diazinon, effects on beneficial fauna, 13
Digitaria decumbens, see Pangola grass
D. sanguinalis, see finger grass
Dimethoate, effects on beneficial fauna, 13; pest resistance, 15; disease control, Jamaica, 65
Dimmockia javanica, introduction, Sri Lanka, 143
Dinocap, effects on beneficial fauna, 13; effect on pests, 14
Diplodia maydis, maize, India, 39
DNOC, pest control, 15
Dodder, virus transmission studies, Iran, 127
Dysmicoccus breviceps, pineapple, Chile, 115
- Eggplant, host of nematode, Lebanon, 33
Endosulfan, effects on beneficial fauna, 13
Eragrostis ciliaris, fungal resistance, India, 142
E. tenella, fungal resistance, India, 142
E. tremula, fungal resistance, India, 142
Eriobotrya japonica, see loquat
Eriopsis connexa, parasite of pest, Chile, 115
Eriosoma lanigerum, integrated control, 13
Eriwinia amylovora, pear, Turkey, 44
E. ananas, pineapple, Mexico, 79
Euchlaena mexicana, see teosinte
Euphorbia peplus, see petty spurge
European marigold, host of nematode, Lebanon, 34
- Fennel, host of nematode, Lebanon, 34
Fenugreek, host of virus, Iran, 132
Ficus carica, see fig
Fig, host of nematode, Lebanon, 108
Finger grass, host of nematode, Lebanon, 33; fungal resistance, India, 142
Firman, I.D., 121
Foeniculum vulgare, see fennel
Folpet, effect on pests, 14
- Ford Foundation, 72
Formothion, effects on beneficial fauna, 13
Fusarium, pineapple, Mexico, 79, 82
Fusarium solani, rubber, Malaysia, 4
- Galactia* sp., host of virus, Iran, 132
Ganoderma pseudoferreum, rubber, Malaysia, 2
García E., R., 79
Giménez F., A., 69
Glycine max, see soybean
Gomphrena globosa, virus transmission test, Iran, 128
González, R.H., 89, 115
Goosefoot, host of nematode, Lebanon, 33
Gracilicus, almond, Lebanon, 105
Grapefruit, host of nematodes, Lebanon, 105
Grapevine, host of nematode, Lebanon, 33, 108, 109.
Grapholitha molesta, integrated control on peach, southern Europe, 15; peach, Chile, 89
Grass pea, host of virus, Iran, 132
Green foxtail grass, host of nematode, Lebanon, 34
Group of Assistance on Storage of Grains in Africa, 72
Groupement international des Associations nationales des fabricants de pesticides, 99
Guinea grass, pest, Paraguay, 70
Gupta, J.G., 36
- Hafiz, A., 50
Hairy vetch, host of virus, Iran, 132
Hak, T.A., 50
Haptoncus luteolus, date palm, India, 91
Hegde, S.V., 21
Heinze, K.G., 58
Helicotylenchus sp., pineapple, Mexico, 83; distribution, Lebanon, 105
H. multicaucus, banana, Lebanon, 109
H. vulgaris, rose, France, 21
Helminthosporium heveae, rubber, Malaysia, 6
H. maydis, maize, United States, 18
H. sativum, wheat, India, 11
Hemicycliophora sp., distribution, grapefruit, Lebanon, 105, 106, 107
Hemileia vastatrix, coffee, Brazil, 121
Heterodera sp., distribution, orange, grapefruit, loquat, Lebanon, 106, 107, 108
Hevea brasiliensis, see rubber
Hibiscus esculentus, see okra
H. rosa-sinensis, host of nematode, Lebanon, 33
Hooker, A.L., 18
- Industry Cooperative Programme, 99
Institute for Tropical Agronomic Research and Food Crops, 72
Interamerican Institute of Agricultural Sciences, 99
International Atomic Energy Agency, 15
International Development Research Centre, 72
International Institute for Tropical Agriculture, 72
International Organization for Biological Control of Noxious Animals and Plants, 12
International Organization of Citrus Virologists, 99
International Plant Protection Convention, adherence, Romania, 24, Iran, 144, Morocco, 144
Ipomoea purpurea, see morning glory
Ips calligraphus, pine, identification, Nicaragua, 25, 101

- I. cribricollis*, pine, identification, Nicaragua, 25, 101
Isolan, effects on beneficial fauna, 13; pest resistance, pest control, 15
- Jew's mallow, host of nematode, Lebanon, 33
Jimson weed, host of nematode, Lebanon, 33; virus transmission test, Iran, 128
Juglans nigra, see black walnut
- Kaiser, W.J., 73, 127
Khapra beetle, see *Trogoderma granarium*
- Lafleche, D., 28
Large cabbage butterfly, see *Pieris brassicae*
Lathyrus odoratus, host of virus, Iran, 132
L. sativus, see grass pea
Lemon, host of nematode, Lebanon, 106
Lemon grass, pest, Paraguay, 70
Lens esculenta, see lentil
Lentil, food crop, virus, transmission studies, host of virus, Iran, 73, 127, 132
Lethal yellowing disease of coconut, possible cause, Jamaica, 58
Lima bean, host of virus, Iran, 132
Lindane, effects on beneficial fauna, 13; pest resistance, 14
Lipaphis erysimi, mustard, rape, India, 136
Longidorus sp., pineapple, Mexico, 83; olive, grapefruit, orange, loquat, tomato, Lebanon, 105, 106, 107, 108, 110
Loquat, nematodes, Lebanon, 108
Lycopersicon esculentum, see tomato
- Macrosiphum (Acyrthosiphon) pisum*, alfalfa, Chile, 115
Maize, host of nematode, Lebanon, 33; pests, India, 36, 69; fungal resistance, India, 142
Maize stem borer, see *Chilo partellus*
Malathion, disease control, Jamaica, 66
Malva sp., see wild mallow
Mancozeb, effect on pests, 14
Manzate D, disease control, Mexico, 80
Martin, G.C., 40
Mathur, B.L., 142
Mathur, R.L., 142
Medicago hispida, host of virus, Iran, 132
M. lupulina, host of virus, Iran, 132
M. sativa, see alfalfa
Melilotus alba, see white sweet clover
M. indica, see scented trefoil
Meloidogyne spp., prevalence, host range, distribution, Lebanon, 31, 105, 106; pineapple, Mexico, 79
M. arenaria, prevalence, hosts, Lebanon, 31
M. incognita, prevalence, hosts, Lebanon, 31
M. javanica, prevalence, hosts, Lebanon, 31
Mevinphos, effects on beneficial fauna, 13
Mexican lime, virus indicator, France, 28, virus study, 111
Milaire, H.G., 12
Millet grass, host of nematode, Lebanon, 33; pest, Paraguay, 70
Morning glory, host of nematode, Lebanon, 33
Mungbean, food crop, host of virus, Iran, 73, 127, 128
Musa sp., see banana
M. cavendishii, see banana
- Mycoplasma-like bodies, orange, 28; lethal yellowing of coconut, 59
Myzus persicae, pesticide resistance, France, 15; vector of virus, 113, 127
- Narbonne vetch, host of virus, Iran, 132
Natal grass, pest, Paraguay, 70
Nerium oleander, see oleander
Ngundo, B.W., 41
Nicotiana glutinosa, host of virus, Iran, 128
N. tabacum, see tobacco
Nut grass, host of nematode, Lebanon, 34
Nyako, K.O., 141
- Oidium heveae*, rubber, Malaysia, 5
Okra, host of nematode, Lebanon, 33, 34
Olea europea, see olive
Oleander, host of nematode, Lebanon, 33, 34
Olive, host of nematodes, Lebanon, 33, 105
Organochlorates, effect on pests, 14
Organophosphates, effects on beneficial fauna, 13; effect on pests, pest resistance, 14
Oriental fruit moth, see *Grapholitha molesta*
Othieno, S.M., 41
Oxydemeton-methyl, effects on beneficial fauna, 13; pest resistance, 15
- Pangola grass, pest, Paraguay, 69
Panicum maximum, see Guinea grass
Panonychus ulmi, integrated control, 12
Para grass, pest, Paraguay, 70
Parathion, effects on beneficial fauna, 13; effect on pests, pest resistance, 14; pest control, 15
Parathion-methyl, effect on pests, 14
Paratylenchus spp., distribution, almond, orange, loquat, banana, fig, cherry, grapevine, tomato, parsley, Lebanon, 105, 107, 108, 110
P. curvatus, rose, France, 21
Parsley, host of nematode, Lebanon, 33, 110
Passiflora edulis, see purple granadilla
Pavgi, M.S., 116
Pea, disease, India, 21; food crop, host of virus, effect of virus on yield, Iran, 127, 128, 131, 132
Pearl millet, pests, disease, India, 36, 142
Pediobius parvulus, introduction, Sri Lanka, 143
Pennisetum typhoides, see pearl millet
Perotis indica, fungal resistance, India, 142
Persian clover, host of virus, Iran, 132
Pestalotia spp., pineapple, Mexico, 82
Pesticides, position of FAO, 45; see also names of individual compounds
Petroselinum hortense, see parsley
Petty spurge, host of nematode, Lebanon, 33
Petunia, host of nematode, Lebanon, 33
Petunia hybrida, see petunia
Phaltan, effect on pests, 14
Phaseolus aureus, see mungbean
P. lunatus, see lima bean
P. vulgaris, see bean
Phellinus noxius, rubber, Malaysia, 2
Phoenix dactylifera, see date palm
Phosphamidon, effects on beneficial fauna, 13
Phosphoric esters, effects on beneficial fauna, 13; effect on pests, pest resistance, 14

- Phycomyces* spp., selective culture medium, 80
Phytophthora spp., pineapple, Mexico, 79; species identification, 82
P. botryosa, rubber, Malaysia, 3
P. citrophthora, pineapple, Mexico, 82
P. infestans, tomato, Ghana, 141
P. nicotianae var. *parasitica*, pineapple, Mexico, 82
P. palmivora, rubber, Malaysia, 3
P. parasitica, pineapple, Mexico, 81
Pieris brassicae, weeds, trees, parasite, Chile, 91
P. rapae, geographic range, 91
Pigeon pea, diseases, India, 116
Pineapple mealybug, see *Dysmicoccus brevipes*
Pinus caribaea var. *hondurensis*, see Caribbean pine
P. oocarpa, pest, Nicaragua, 25
P. pseudostrobus, pest, Nicaragua, 25
Piricularia grisea, pearl millet, India, 142
P. grisea f. *pennisetii*, proposed new forma, 142
Pirimicarb, pest control, 15
Pisum sativum, see pea
Pomegranate, host of nematodes, Lebanon, 33, 34
Portulaca oleracea, see purslane
Pratylenchus spp., rice, Rhodesia, 40; pineapple, Mexico, 79; almond, olive, distribution, orange, grapevine, fig, cherry, tomato, bean, parsley, Swiss chard, Lebanon, 105, 106, 107, 108, 109
P. vulnus, rose, France, 21
Price, W.C., 111, 133
Prickly foxtail grass, host of nematode, Lebanon, 34
Promecotheca cumingi, coconut palm, Sri Lanka, 143
Prospaltella perniciosi, effects of pesticides, 13
Prunus amygdalus, see almond
Pseudococcus brevipes, pineapple, 79
Pseudomonas pisi, pea, India, 22
Pteromalus puparum, parasite of pest, Chile, 91
Puccinia graminis f. sp. *tritici*, wheat, India, 9; wheat resistance, Near East, 51
P. recondita, wheat, Near East, 52
P. sorghi, resistance in maize, United States, 19
P. striiformis, wheat, Egypt, 53
Punica granatum, see pomegranate
P. granatum var. *nana*, see pomegranate
Purple granadilla, host of nematode, Lebanon, 33
Purslane, host of nematode, Lebanon, 33, 34
Pyrilla perpusilla, incidence, India, 36
Pythium polymorphon, pineapple, Mexico, 82
- Quadraspidiotus perniciosus*, effects of pesticides, 13
Quarantine, Dominica, 143, Ethiopia, 71, Federal Republic of Germany, 119, Greece, 93, 119, Norway, 71, Sweden, 23, 43, Switzerland, 71, United States, 23
Quinomethionate, see chinomethionat
- Rao, B.S., 1
Rape, pest, Chile, 91; India, 136
Reddy, D.B., 143
Retuerta, M.L., 111
Rhizoctonia spp., pineapple, Mexico, 82
Rhodes grass scale, see *Antonina graminis*
Rhynchelytrum repens, see Natal grass
Rice white tip nematode, see *Aphelenchoides besseyi*
Rigidoporus lignosus, rubber, Malaysia, 1
Romney, D.H., 58
Rosa indica major, see rose
Rose, host of nematode, France, 21, Lebanon, 33
- Rotylenchus* spp., pineapple, Mexico, 79; distribution, banana, Lebanon, 105, 108
R. reniformis, vegetables, Lebanon, 105
Rubber, diseases, Malaysia, 1
Rye, disease resistance, 55
- Saad, A.T., 31, 105
Sathe, A.V., 9
Scented trefoil, host of virus, Iran, 128
Schlösser, W.E., 105
Schuiling, M., 58
Sclerotinia sclerotiorum, chickpea, Iran, 73
Scotto la Massese, C., 21
Secale cereale, see rye
Semesan Bel, disease control, Mexico, 80
Septoria sp., wheat, Turkey, 53
S. tritici, wheat, Near East, north Africa, 54
Setaria tomentosa, fungal resistance, India, 142
S. verticillata, see prickly foxtail grass
S. viridis, see green foxtail grass
Sharma, Y.R., 39
Shasta daisy, host of nematode, Lebanon, 33
Singh, B.M., 39
Singh, J.P., 69
Singh, R.A., 116
Small (imported) cabbage worm, see *Pieris rapae*
Sodium arsenite, disease control, Jamaica, 64
Sohi, B.S., 91
Solanum melongena, see eggplant
S. nigrum, see black nightshade
Sonchun oleraceus, see sow thistle
Sorghum, pests, India, 36; fungal resistance, India, 142
Sorghum halepense, see millet grass
S. sudanense, see Sudan grass
S. vulgare, see sorghum
Sour orange, pest, France, 21
Southern pine beetle, see *Dendroctonus frontalis*
Sow thistle, host of nematode, Lebanon, 33
Soybean, pest, India, 69; host of virus, Iran, 132
Srivastava, A.S., 136
Srivastava, J.L., 136
St. Augustine grass, pest, 70
Stemphylium sarciniforme, chickpea, Iran, 73
Stenotaphrum secundatum, see St. Augustine grass
Stewart, D.M., 50
Subterranean clover, host of virus, Iran, 132
Sudan grass, pests, India, 36
Sugar beet, host of nematode, Lebanon, 34
Sugarcane pyrrilla, see *Pyrilla perpusilla*
Sulphur, effect on pests, 14
Surface grasshopper, see *Chrotogonus trachypterus*
Swan, D.I., 88
Sweet orange, studies on mycoplasma, France, 28; host of nematodes, Lebanon, 106; virus indicator, 111
Swiss chard, host of nematode, Lebanon, 33, 34
Synchytrium sp., pigeon pea, India, 117
- Tanveer, M., 31
Taylor, D.P., 41, 105
Teosinte, pest incidence, India, 36
Tetradiion, effects on beneficial fauna, 13
Tetranychus viennensis, effects of pesticides, France, 14
Tetrasul, effects on beneficial fauna, 13; pest control, 15
Thamnidium sp., pineapple, Mexico, 82
Thecla echion, pineapple, Mexico, 79

- Thielaviopsis*, sp., pineapple, Mexico, 82
T. paradoxa, pineapple, Mexico, 79
 Thiram, effect on pests, 14
 Tobacco, host of nematode, Lebanon, 33; host of virus, Iran, 128
 Tomato, host of nematode, Lebanon, 32, 33, 34
Toxoptera citricidus, vector of virus, Philippines, 111
 Transparent coconut scale, see *Aspidiotus destructor*
Trichodermium sp., pineapple, Mexico, 82
Trichodorus sp., almond, olive, grapefruit, orange, sour orange, grapevine, fig, Lebanon, 105, 106, 107, 108
Trifolium alexandrinum, see berseem
T. incarnatum, see crimson clover
T. resupinatum, see persian clover
T. subterraneum, see subterranean clover
Trigonella sp., host of virus, Iran, 132
T. foenum-graecum, see fenugreek
Trioza erythrae, vector of disease, 28
Triticum aestivum, see wheat
T. dicoccoides, see wild emmer
Trogoderma granarium, Denmark free of infestation, 99
 Tropical citrus aphid, see *Toxoptera citricidus*
 Tropical Products Institute, 72
Tylenchorhynchus sp., distribution, almond, olive, grapefruit, orange, tangerine, grapevine, banana, fig, cherry, tomato, bean, lettuce, cucumber, Swiss chard, potato, Lebanon, 105, 106, 107, 108, 110
Tylenchulus sp., loquat, Lebanon, 108
T. semipenetrans, sour orange, France, 21; research, distribution, orange, lemon, sour orange, tangerine, grapefruit, Lebanon, 105, 106, 107

 Vamidithion, effects on beneficial fauna, 13
Vicia faba, see broadbean
V. narbonensis, see Narbonne vetch
V. sativa, see common vetch
V. villosa, see hairy vetch
Vigna sinensis, see cowpea
V. unguiculata, see cowpea

 Virus diseases: *Brassica nigra* mosaic, transmission, 113
 citrus greening, 28
 citrus stubborn, 30
 citrus tristeza, 28, 111
 clover phyllody, 29
 pea leaf roll, Iran, 127
Vitis vinifera, see grapevine

 Watermelon host of nematode, Lebanon, 34
 West Indian lime, see Mexican lime
 Wheat, breeding, 50
 White sweet clover, host of virus, Iran, 128
 Wild emmer, breeding, 55
 Wild mallow, host of nematode, Lebanon, 34
 World Health Organization, 99

Xanthomonas cajani, pigeon pea, India, 117
Xiphinema spp., pineapple, Mexico, 83; distribution, almond, olive, grapefruit, orange, grapevine, loquat, fig, tomato, Lebanon, 105, 106, 107, 108, 109, 110
X. index, distribution, orange, lemon, grapevine, loquat, fig, Lebanon, 106, 107, 108, 109
X. mediterraneum, almond, distribution, orange, lemon, grapevine, loquat, banana, fig, Lebanon, 105, 106, 107, 108, 109

 Yates, H.O., 25, 101
 Yellowish nitidulid beetle, see *Haptoncus luteolus*
 Youth and old age, host of nematode, Lebanon, 33, 34

Zea mays, see maize
 Zineb, effect on pests, 14
Zinnia elegans, see youth and old age
 Ziram, effect on pests, 14
Zygotylenchus sp., olive, distribution, grapevine, cherry, Lebanon, 105, 106, 108, 109

ERRATA

(The line numbers do not take account of titles and headings)

Vol. 19, No. 5, October 1971 — Evaluation of insecticides for the control of cocoa capsids in Ghana.

Page 100, Table 1, footnote 4:

for 6-chloro-3, 4-xylyl-methylcarbamate

read 6-chloro-3, 4-xylyl N-methyl-carbamate.

Page 100, Table 1, footnote 8:

for 000''0'- tetramethyl 00'thiodi-*p*-phenylene phosphorthionate

read 000''0'-tetramethyl 00'-thiodi-*p*-phenylene phosphorothioate.

Page 106, Table 5, line 3:

after propoxur

add and DDT

Page 106, Table 5, footnote 1:

delete divided by 12

Page 109, column 1, line 6:

after compounds

add Among the carbamates, propoxur was the most promising alternative to lindane.

Vol. 19, No. 6, December 1971 - Seasonal activity and chemical control of pink bollworm.

Page 131, Author's address:

for Department of Zoology-Entomology, Punjab Agricultural University

read Department of Entomology, Haryana Agricultural University, India.

